



**IndustrialPro™ Routers (SN Series)
EnterprisePro™ Routers (R/A/M D-Series)
Wireless Modems**

Release Notes
Through Version 3.07

January 2011

IndustrialPro™ Routers (SN Series)

Migration and update procedures

CHANGE HISTORY

Version	Date	Description
3.07	January 11, 2011	Release 3.07
3.06	October 12, 2010	Release 3.06
3.05	October 5, 2010	Release 3.05
3.04	May 8, 2010	Release 3.04 – Pre Release



Sixnet, LLC Corporate Headquarters
331 Ushers Road, Ballston Lake, NY 12019

FLEXIBLE. RELIABLE. POWERFUL.
T +1 518 877 5173 F +1 518 877 8346

IndustrialPro™ Routers (SN Series)

Migration and update procedures

Sixnet Wireless Firmware Release 3.07

- Release Date: 1/11/2011

Release Summary

- Support for SN/BT-64xx models
- Improved support and help info for flashing low memory (32Meg BT) units, particularly through the GUI
- New modems supported:
 - Franklin U600
 - Improved ZTE MF668? support
 - Cinterion MC75?
- IPsec? VPN Server mode support
- IPsec? VPN X.509 Certificate support
- SIM PIN Unlock support
- GSM/HSPA International RF Band selection
- IP Transparency Router Mode - Provides advanced routing features while presenting simple configuration for connected devices
- Additional Sixnet rebranding changes
- Ping Alive - Supports new options for connection testing

Bugfixes

- Fixed various GUI reflashing problems with low memory units
- rxidle value changed back to 150 from 0 in previous release
- DNSMasq? updated to latest version which solves some DNS resolution problems
- CDC/ACM detection error solved which was preventing the device from recognized certain modems on boot up
- VRRP Screen - handle multiple VRRP instances much better
- Network Interface VLAN settings simplified and streamlined



Sixnet, LLC Corporate Headquarters
331 Ushers Road, Ballston Lake, NY 12019

FLEXIBLE. RELIABLE. POWERFUL.
T +1 518 877 5173 F +1 518 877 8346

IndustrialPro™ Routers (SN Series)

Migration and update procedures

Sixnet Wireless Firmware Release 3.06

- Release Date: 10/12/2010

Release Summary

- Improved support and help info for flashing low memory (32Meg BT) units, particularly through the GUI
- Improved support for preserving unit configuration across reflashing
- Improved provisioning support:
 - Added SIP option for Sprint and Verizon, required for Sprint LAC/LNS support.
 - Provisioning screen now updates page with progress of provisioning process and module status
 - Added Sprint datalink provisioning support for 250U (3G mode only).

Bugfixes

- Fixed GUI reflashing problems with v3.05
- Fixed GUI Display issue for Verizon provisioning screen
- This release replaces v3.05



Sixnet, LLC Corporate Headquarters
331 Ushers Road, Ballston Lake, NY 12019

FLEXIBLE. RELIABLE. POWERFUL.
T +1 518 877 5173 F +1 518 877 8346

IndustrialPro™ Routers (SN Series)

Migration and update procedures

Sixnet Wireless Firmware Release 3.05

- Release Date: 10/05/2010

Release Summary

- New aircards/modules supported:
 - o Sierra USB 308
 - o Sierra Aircard 503
- Sierra 250U (3G support only)
 - o ZTE MF668
 - o ZTE K3805-Z
 - o Option GlobeTrotter HSUPA
 - o Option ICON 542
 - o LG USB Connect Turbo
 - o Pantech UMW190
 - o <http://sixnet.com/content/aircard-86.cfm> for a complete list
- OpenSSL updated to version 0.9.8o, which fixes multiple security issues in previous versions
- Significantly improved bootup times due to modification to hotplug
- Smaller firmware image size
 - o Removed DHCP Relay.
- Support for PRL information in SixView Manager client updates
- Support for restoring a device configuration after a firmware update
- Supports firmware updates through SixView Manager
- New "Router Mode" option for IP transparency
 - o Will route traffic to the cellular network, bypassing NAT/PAT.
 - o Used with SIP mode for Sprint LAC/LNS
- Support for many VRRP instances (up to 10)
- IPSec now supports X.509 certificate
- VLAN configuration supported through GUI interface
- Default RxIdle changed to 0 to disable feature by default
- TCP Socket test added to Status options screen (uses telnet to probe remote ports)

Bugfixes

- Firewall configuration for Filter Rules fixed
- Connection Tracking bug found with gianfar ethernet driver on D-Series
- IP Fallback improvements to prevent leaking packets after switching interfaces.



Sixnet, LLC Corporate Headquarters
331 Ushers Road, Ballston Lake, NY 12019

FLEXIBLE. RELIABLE. POWERFUL.
T +1 518 877 5173 F +1 518 877 8346

IndustrialPro™ Routers (SN Series)

Migration and update procedures

Sixnet Wireless Firmware Release 3.04

- Release Date: 7/19/2010

Release Summary

- New aircards/modules supported:
 - o Sierra 888 Compass GSM
 - o Sierra MC5725 embedded EVDO module
 - o Sierra USB 306 (Telus)
 - o Sierra USB 305 Lightning
 - o Huawei USB E182 GSM
 - o Huawei USB E168C CDMA
 - o C-motech (Franklin Wireless) Sprint U301 (3G mode only)
- Greatly improved support for VLAN configurations
- Adds serial TTY support for SN (BlueTree) models
- Adds firewall whitelisting support
- Adds support for Wifi models
- Adds support for USB ethernet device to SN (BlueTree) models
- Adds support for restoring device configuration after firmware upgrade
- Adds support for D005 4-port RS232 daughtercard
- Adds new "routing mode" option to IP transparency
- Adds SIP support for Sierra Sprint Aircards - Sprint LAC/LNS support
- Adds support for running multiple instances of VRRP
- Adds support for user access controls in the GAU
- Adds ECIO value reporting for Novatel modems
- GAU interface rebranded with Sixnet colors and logos

Bugfixes

- Fixed OpenSWAN bug: "waiting for ppp0 to become free. Usage count = -1"
- Fixed firewall redirect rules for local redirect
- Fixed GAU bug preventing entry of illegal XML characters (in password fields).



Sixnet, LLC Corporate Headquarters
331 Ushers Road, Ballston Lake, NY 12019

FLEXIBLE. RELIABLE. POWERFUL.
T +1 518 877 5173 F +1 518 877 8346